
Engine Specifications

V3300-BG



Engine Specifications

V3300-BG (1 of 2)

Model		V3300-E3-BG	
Туре		Vertical, water cooled 4-cycle IDI diesel engine	
Cylinders		4	
Bore and Stroke	mm (in)	98.0 x 110.0 (3.86 x 4.331)	
Displacement	L (cu.in)	3.318 (202.5)	
Aspiration		NA	
Aftertreatment		None	
Net stand-by power*1	kW (HP) / rpm	27.5 (36.9) / 1500	33.6 (45.1) / 1800
Net continuous power*1	kW (HP) / rpm	25.0 (33.5) / 1500	30.6 (41.0) / 1800
Fuel system		In-line pump	
EGR		None	
Length x Width x Height*2	mm (in)	738 x 536 x 746 (29.1 x 21.1 x 29.4)	
Dry weight*2	kg (lb)	264 (582)	

^{*1:} SAE J1349, *2: Excluded cooling fan

Specifications are subjected to change without prior notice.



Engine Specifications

V3300-BG (2 of 2)

Model		V3300-E2-BG	
Туре		Vertical, water cooled 4-cycle IDI diesel engine	
Cylinders		4	
Bore and Stroke	mm (in)	98.0 x 110.0 (3.86 x 4.331)	
Displacement	L (cu.in)	3.318 (202.5)	
Aspiration		NA	
Aftertreatment		None	
Net stand-by power*1	kW (HP) / rpm	28.9 (38.8) / 1500	35.3 (47.3) / 1800
Net continuous power*1	kW (HP) / rpm	26.3 (35.3) / 1500	32.1 (43.0) / 1800
Fuel system		In-line pump	
EGR		None	
Length x Width x Height*2	mm (in)	738 x 536 x 746 (29.1 x 21.1 x 29.4)	
Dry weight*2	kg (lb)	264 (582)	

^{*1:} SAE J1349, *2: Excluded cooling fan

Specifications are subjected to change without prior notice.

